

Model : KY-02
Shacking Machine
Operation Manual

Contents

☆ II. Function Introduction.....	P3
☆ III. Appearance Introduction.....	P4
☆ IV. Control Panel Introduction.....	P5
☆ V. Operation Introduction.....	P6
☆ VI. Package List.....	P7
☆ VII. Common Malfunction and Its Clearance.....	P8

1. Function Introduction

1.1. Shaking Machine adopts relay controlling system;

1、Taiwan brand timer, stable in control;

2、Wire connection with CE standard;

1.2. By using the mechanical inertial rotation principle, the Y2 shacking machine has the advantages such as noiseless, light vibration, easy to operate etc.

3、Easy to operate, even for the green hand;

4、All stainless steel body make it sanitary and clean;

5、Having a stable shacking performance;

6、Free time setting, with the range of 0-60 S.

1.3 Advantages

7、Having emergency stop switch, safe and reliable;

8、Sturdy and durable, easy to dismantle and install;

9、Small volume, saving the space.

10、with double bottle shacking frame,

11、Stainless steel structure, easy to clean and operate;

1.4 Specifications:

12、Dimension(L*W*H)(mm):330*340*345

13、N.W.: 24KG

3、Power Supply: 110V 50HZ/60HZ 50W

4、Temperature of Working Environment:-15~+60°C

5、Accuracy: 0.1s

1.5 Equipped shaking cups:


One is a 500ml container and one is 350ml.

1.6 Applications:


Stores of Pearl milk tea, foam black tea, coffee, breakfast and juice etc..

2. Appearance Introduction

1、Side View



2、Front View




(1) .Shacking Block

(2) .Container Frame

(3).Connecting Bar

3. Control Panel Introduction

1、 The Control Panel is as follows:



2. Control Panel Introduction:

- A、 **START**:——To start the movement of shacking;
- B、 Emergency Stop——To the stop the movement of the machine;
- C、 Timer——To set the shacking time from 0-60s.

4. Operation Introduction

- 1、 Power on the machine and fix the shacking containers in the container frame;
- 2、 Set the shacking time by the timer;
- 3、 Press "START" to start the shacking, it will stop automatically when the set time is over.

Attention: No foreign material and hands touch the shacking range for safety.

5. Package List

Dear Customers:

Thank you very much for using our YODO sealing machines, we hope it will do you a great help in the future, and please check the following packing list before the using of the machine to ensure whether you get everything. Thank you!

Item	Description	Quantity
1	Shacking Machine	1Unit
2	Operation Manual	1 PCS
3	Warranty Card	1PCS

6. Common Malfunction and Its Clearance

Malfunction Description	Checking Items	Clearance
1、No working after pressing the "START";	① The "Emergency Stop" has been pressed down; ② No power supply; ③ The time-setting of the timer is 0s;	① Release the "Emergency Stop"by turning it in the clockwise direction; ② Connect the power supply; ③ Set the timer.
2. No indication of the Red"START"when there is power supply.	① The "Emergency Stop" has been pressed down; ② Whether power supply is connected.	① Release the "Emergency Stop"by turning it in the clockwise direction; ② Connect the power supply.